

Addendum No. 2

City of Coquitlam

RFP No. 20-08-05

City Radio System Upgrades

Issue Date: October 9, 2020

(consists of 2 pages, including **REVISED Proposal Submission Form Revision No. 2**)

Proponents shall note the following amendments to the RFP documents:

R1. REPLACE

The **REVISED Proposal Submission Form Revision No. 1** is replaced with **REVISED Proposal Submission Form REVISION No. 2**

QUESTIONS AND CLARIFICATIONS

Q1) Concerning 1.3 (Pricing-Installation) - Item 3, Question - are we supplying the “Dispatch Computers” and wireless mouse & keyboards & screens?

A1) The dispatch computers and associated peripherals will be provided by the City in order to be consistent with our standard configuration.

Q2) Addendum No 1 changing to SLR 5000 (HKVN4427) and Mobile radio - XPR 2500 (HKVN4413) we have the following questions:

Q2a) These items conflict... does the City of Coquitlam wish to have the repeater and radios to be DMR Tier III capable and use them with the Capacity Plus (which is a Tier II license), or do they plan to delete the Capacity Plus license and change all licenses to DMR Tier III?

A2a) The City requires a trunked radio system consistent with a Capacity Plus license (Tier II) that allows for channels to be dynamically allocated to talk groups on demand. If a proponent is not able to offer this functionality within a Tier II system, they may propose a Tier III system.

Q2b) The simple fact of the matter is the City of Coquitlam can only be using one of these licenses at a time.... Which license DMR Tier II or DMR Tier III will be used on the system?

A2b) Proponents should propose only one license. The City understands that a Tier II license similar to the Capacity Plus license is a more cost effective solution, this is the preferred option.

Q2c) And if it is DMR Tier II (capacity plus trunking) then, is the request to assure that the radios and repeaters are upgradeable to DMR Tier III or do you want a license for DMR Tier III included for each but not in use?

A2c) If the DMR Tier II radios and repeaters are capable of providing functionality consistent with a Capacity Plus license, then the radios and repeaters need not be compatible with DMR Tier III, and a DMR Tier III license is not required.

Q3) Regarding the base stations – are all 9 located at the works yard? Are some perhaps located at city hall?

A3) The base stations will be installed in multiple locations including the Austin Works Yard and City Hall.

End of Addendum No. 2

Proponents take into account the content of this Addendum in the preparation and submission of the Proposal which will form part of the Contract and should be acknowledged on the Proposal Submission Form.

Upon submitting a Proposal, Proponents are deemed to have received all addenda that are issued and posted on the City's website and considered the information for inclusion in the Proposal submission.

Issued by:

M. Pain,
Purchasing Manager

bid@coquitlam.ca